

Concealed single-lever mixer with integrated shower connection - Brushed Durabronze (23kt Gold)

IMO















36 050 970



- without rosette
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

	Brushed Durabronze (23kt Gold)	36 050 970-28
	Chrome	36 050 970-00
	Brushed Platinum	36 050 970-06
	Platinum	36 050 970-08
	Dark Brass matt	36 050 970-16
	Dark Chrome	36 050 970-19
	Light Gold	36 050 970-26
	Brushed Light Gold	36 050 970-27
	Matte Black	36 050 970-33
	Brushed Bronze	36 050 970-42
	Brushed Champagne (22kt Gold)	36 050 970-46
	Champagne (22kt Gold)	36 050 970-47
	Brushed Chrome	36 050 970-93
	Brushed Dark Platinum	36 050 970-99

Required miscellaneous




- Concealed wall mounting -**
- max. recess depth 105 mm
 - min. recess depth 80 mm

35 050 970 90


**Concealed single-lever mixer with integrated shower connection - Brushed
Durabronz (23kt Gold)**

IMO

36 050 970
mm [inches]




Flow rate chart



Certificates

Belgaqua_21-025- WRAS_2011027. LGA_29928.
27_1.

36 050 970



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 97 064 00-28	handle	1	20
2	09 24 04 266 90	nut	1	2
3	90 15 05 044 04 90	cartridge	1	10
4	09 31 11 004 90	pin	1	60
5	09 23 01 131 90	back-flow preventer	1	2
6	09 14 10 213 90	seal	1	2
7	09 24 03 281-28	nipple	1	20
8	90 21 02 069 00-28	cover	1	20
9	90 14 20 026 00 90	seal	1	2
10	28 322 970-28	Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Durabronz (23kt Gold)	1	20
11	90 14 10 060 00 90	seal	1	2
12	09 18 40 230 90	connection	1	2
13	09 14 10 061 90	seal	1	2