







36 200 361



- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert
- WRAS 2307045

	Durabronss (23kt Gold)	36 200 361-09
	Chrome	36 200 361-00
	Brushed Platinum	36 200 361-06
	Platinum	36 200 361-08
	Brushed Durabronss (23kt Gold)	36 200 361-28
	Brushed Dark Platinum	36 200 361-99


Required miscellaneous




- Concealed two-way diverter -** 35 202 970 90
- max. recess depth 155 mm
 - min. recess depth 85 mm

36 200 361

mm [inches]



Flow rate chart




Certificates

LGA_38379.

WRAS_2307045.

36 200 361



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 304 10 90	diverter	1	2
2	09 23 10 125-00	nut	1	10
3	90 14 10 063 00 90	seal	1	2
4	09 27 36 105-09	rosette	1	60
5	90 30 30 075 00 90	screw	1	2
6	09 30 11 194 90	disc	1	2
7	09 18 30 007-09	sleeve	1	60
8	90 28 10 030 00 90	ring	1	2
9	09 12 12 064-09	base	1	60
10	90 14 15 021 00 90	ring	1	2
11	09 21 02 161-09	cover	1	40
12	04 20 36 100 02-09	handle	1	40
13	09 20 36 005-09	handle	1	40
14	09 26 01 016 90	accessories	1	2