











36 200 882



- rotary diverter
- rosette 60 mm
- WRAS 2307045

| | | |
|--|-------------------------------|---------------|
|  | Brushed Durabron (23kt Gold) | 36 200 882-28 |
|  | Chrome | 36 200 882-00 |
|  | Brushed Platinum | 36 200 882-06 |
|  | Platinum | 36 200 882-08 |
|  | Dark Chrome | 36 200 882-19 |
|  | Matte Black | 36 200 882-33 |
|  | Brushed Champagne (22kt Gold) | 36 200 882-46 |
|  | Champagne (22kt Gold) | 36 200 882-47 |
|  | Brushed Chrome | 36 200 882-93 |
|  | Brushed Dark Platinum | 36 200 882-99 |


Required miscellaneous



- Concealed two-way diverter -** 35 202 970 90
- max. recess depth 160 mm
 - min. recess depth 85 mm

36 200 882

mm [inches]



Flow rate chart




Certificates

LGA_38379.

WRAS_2307045.

36 200 882



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|------------|---------------|---------------|
| 1 | 90 90 03 304 10 90 | diverter | 1 | 2 |
| 2 | 90 23 30 023 00 90 | nut | 1 | 2 |
| 3 | 90 21 02 181 00 90 | disc | 1 | 2 |
| 4 | 09 27 89 118-28 | rosette | 1 | 20 |
| 5 | 09 31 11 294 90 | pin | 1 | 2 |
| 6 | 90 14 15 020 03 90 | ring | 1 | 2 |
| 7 | 09 24 05 002 90 | nipple | 1 | 2 |
| 8 | 09 29 06 022 90 | spindle | 1 | 2 |
| 9 | 90 14 10 060 00 90 | seal | 1 | 2 |
| 10 | 90 12 12 002 00 90 | fixing cap | 1 | 2 |
| 11 | 09 21 02 144-28 | sleeve | 1 | 20 |
| 12 | 04 20 88 052 10-28 | handle | 1 | 20 |
| 13 | 90 30 30 075 00 90 | screw | 1 | 2 |
| 14 | 90 30 11 029 00 90 | disc | 1 | 2 |
| 15 | 90 12 12 219 00-28 | base | 1 | 20 |
| 16 | 04 18 20 022 00-28 | angle | 1 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 17 | 09 20 88 052-28 | handle | 1 | 20 |