



# MADISON Concealed thermostat with one function volume control - Durabronz (23kt Gold)

MADISON

36 425 977



- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS 1906098

	Durabronz (23kt Gold)	36 425 977-09
	Chrome	36 425 977-00
	Brushed Platinum	36 425 977-06
	Platinum	36 425 977-08
	Brushed Durabronz (23kt Gold)	36 425 977-28
	Brushed Dark Platinum	36 425 977-99

## Required miscellaneous



**Concealed thermostat -** 35 425 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm

## Required miscellaneous



**Concealed thermostat with built-in isolators -** 35 426 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm

## Recommended miscellaneous




**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

## Required miscellaneous




**xGRID Installation track 555 mm -** 12 360 970 90

36 425 977  
mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen	



MADISON Concealed thermostat with one function volume control - Durabross  
(23kt Gold)

MADISON

---

36 425 977

Certificates

---

WRAS\_1906

LGA\_19

DVGW\_DW-  
6512DN0

LGA\_19

ETA\_20



# MADISON Concealed thermostat with one function volume control - Durabronz (23kt Gold)

MADISON


36 425 977

Product version up to 8/24/2020

Product version from 8/24/2020 to 2/1/2021

Product version from 2/1/2021 to 6/30/2022

**Product version from 6/30/2022**





MADISON Concealed thermostat with one function volume control - Durabross  
(23kt Gold)

MADISON

36 425 977

Spare parts list

Product version up to 8/24/2020

Product version from 8/24/2020 to 2/1/2021

Product version from 2/1/2021 to 6/30/2022

**Product version from 6/30/2022**

No.	Item Number	Name	Quantity used	Delivery time
	90 90 03 166 00 90	top	35	2