







**MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark Platinum**

MADISON

36 503 977 Product version from 1/1/2022



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

	Brushed Dark Platinum	36 503 977-99
	Chrome	36 503 977-00
	Brushed Platinum	36 503 977-06
	Platinum	36 503 977-08
	Durabrace (23kt Gold)	36 503 977-09
	Brushed Durabrace (23kt Gold)	36 503 977-28

**Required miscellaneous**



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90  
 •max. recess depth mm  
 •min. recess depth mm

**Recommended miscellaneous**




**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

**Required miscellaneous**




**xGRID Installation track 555 mm -** 12 360 970 90

36 503 977 Product version from 1/1/2022  
mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Dark Platinum

---

MADISON

36 503 977 Product version from 1/1/2022

Certificates


---

WRAS\_2011

DVGW\_DW-  
6512DN0

LGA\_29

LGA\_29



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 543-99	cover	1	30
4	09 31 11 048 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-99	sleeve	1	30
7	90 17 33 005 01-99	handle	1	30
8	90 21 33 011 00-13	handle	1	2
9	90 16 02 027 00 90	spring	1	2
10	90 30 30 136 00 90	screw	1	2
11	90 31 20 049 00-13	plug	1	30