

xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

SERIES SPECIFIC

36 503 985 Product version from 1/1/2022 to 9/1/2022			
	<ul style="list-style-type: none"> cover plate 120 x 120 mm temperature control handle with safety limit stop at 38°C thermostat cartridge WRAS 		
		Champagne (22kt Gold)	36 503 985-47
		Chrome	36 503 985-00
		Brushed Platinum	36 503 985-06
		Platinum	36 503 985-08
		Dark Chrome	36 503 985-19
		Brushed Light Gold	36 503 985-27
		Brushed Durabrass (23kt Gold)	36 503 985-28
		Matte Black	36 503 985-33
		Brushed Champagne (22kt Gold)	36 503 985-46
		Brushed Chrome	36 503 985-93
		Brushed Dark Platinum	36 503 985-99


Required miscellaneous		
	xTOOL Concealed thermostat module without volume control -	35 503 970 90
<ul style="list-style-type: none"> max. recess depth 160 mm min. recess depth 95 mm 		

Required miscellaneous		
	xGRID Installation track 555 mm -	12 360 970 90


Recommended miscellaneous		
	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90

xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold) SERIES SPECIFIC

36 503 985 Product version from 1/1/2022 to 9/1/2022
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

SERIES SPECIFIC

36 503 985 Product version from 1/1/2022 to 9/1/2022

Certificates and sustainability

WRAS_2011	DVGW_DW-6512DN0	LGA_29
-----------	-----------------	--------

xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold) SERIES SPECIFIC

36 503 985 Product version from 1/1/2022 to 9/1/2022

