

WATER POINTS Concealed body spray - Brushed Platinum















SERIES-VARIOUS

36 515 979 Product version from 7/1/2022



- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
 - with anti-scale system
 - cover plate 120 x 120 mm
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm**

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

	Brushed Platinum	36 515 979-06 0050
	Chrome	36 515 979-00 0050
	Platinum	36 515 979-08 0050
	Dark Chrome	36 515 979-19 0050
	Light Gold	36 515 979-26 0050
	Brushed Light Gold	36 515 979-27 0050
	Brushed Durabronze (23kt Gold)	36 515 979-28 0050
	Matte Black	36 515 979-33 0050
	Brushed Dark Brass	36 515 979-39 0050
	Brushed Bronze	36 515 979-42 0050
	Brushed Champagne (22kt Gold)	36 515 979-46 0050
	Champagne (22kt Gold)	36 515 979-47 0050
	Brushed Chrome	36 515 979-93 0050
	Brushed Dark Platinum	36 515 979-99 0050

Required miscellaneous



- Concealed wall installation box -** 35 205 970 90
- max. recess depth 110 mm
 - min. recess depth 85 mm

Recommended miscellaneous



- xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

Required miscellaneous




- WATER POINTS Adapter plate -** 12 305 970 90
- adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

Required miscellaneous





- xGRID Installation track 555 mm -** 12 360 970 90

mm [inches]



Flow rate chart





Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	10 09 17 11 146 90	distributor	1.00	60
	13 09 12 01 075 90	insert	1.00	2
	1 09 28 01 024 90	holder	1.00	2
	12 09 29 30 043 90	insert	1.00	2
	17 09 23 01 052 90	flow reducer	1.00	2
	5 09 12 12 205 90	base	1.00	2
	7 90 23 01 032 00 90	flow reducer	1.00	2
	16 09 31 11 048 90	pin	1.00	2
	4 09 30 11 024 90	disc	8.00	2
	11 09 17 97 057 90	holder	1.00	2
	8 09 14 10 130 90	seal	1.00	2
	2 09 30 31 022 90	screw	4.00	2
	3 09 30 30 031 90	screw	8.00	2
	6 09 16 01 016 90	ring	1.00	2
	15 09 27 98 004-06	rosette	1.00	10
	14 09 14 03 117 90	seal	1.00	2
	9 09 16 01 017 90	ring	1.00	2