







SERIES-VARIOUS AQUAHALO Rain panel - Chrome

41 750 979

- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 14 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 9 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)
- Outer diameter: 605 mm, opening diameter: 465 mm
- Weight: 6 kg
- central LED Spot 3000 K
- Protection rating IP67
- Recommended control element: xTool
- Not suitable for use in a steam room.


	Chrome	41 750 979-00 0050
	Brushed Platinum	41 750 979-06 0050
	Matte Black	41 750 979-33 0050
	Brushed Champagne (22kt Gold)	41 750 979-46 0050
	Champagne (22kt Gold)	41 750 979-47 0050

Required miscellaneous

	SERIES-VARIOUS AQUAHALO Concealed ceiling installation box - Chrome	35 750 970-00 0050
	<ul style="list-style-type: none"> • concealed rough parts • Ceiling installation enclosure 605 x 605 x 95 mm • Weight: 10 kg • min. recess depth 110 mm 	

SERIES-VARIOUS AQUAHALO Rain panel - Chrome

41 750 979



SERIES-VARIOUS AQUAHALO Rain panel - Chrome

41 750 979

