

Rainshower solution





ST 050 527 8892



	Brushed Dark Platinum	ST 050 527 8892-99
	Chrome	ST 050 527 8892-00
	Brushed Platinum	ST 050 527 8892-06
	Platinum	ST 050 527 8892-08
	Dark Chrome	ST 050 527 8892-19
	Brushed Durabronze (23kt Gold)	ST 050 527 8892-28
	Matte Black	ST 050 527 8892-33
	Brushed Champagne (22kt Gold)	ST 050 527 8892-46
	Champagne (22kt Gold)	ST 050 527 8892-47

Individual components of this set

You need the following components for this set

	1x	35 085 970 90		1x	35 521 970 90
	1x	12 380 970 90		1x	36 503 979-99
	2x	36 607 892-99		1x	28 679 970-99 0050
	1x	27 802 892-99 0050			



Rainshower solution

ST 050 527 8892

Rainshower solution

ST 050 527 8892




- red brass, lead-free
- female thread 1/2" connection
- 1x female thread 1/2" outlet
- dust cover
- anti-water packing
- soundproofing

For wall-mounted spouts and wall outlet elbows with 1/2" connection.

Rainshower solution

ST 050 527 8892

mm [inches]




	min	max
CL_1	90 [3 1/2"]	163 [6 3/8"]
CL_2	68 [2 5/8"]	135 [5 3/8"]
Domicil	90 [3 1/2"]	163 [6 3/8"]
Gentle	90 [3 1/2"]	163 [6 3/8"]
IMO	90 [3 1/2"]	163 [6 3/8"]
Lissé	90 [3 1/2"]	163 [6 3/8"]
MEM	90 [3 1/2"]	163 [6 3/8"]
Symetrics	90 [3 1/2"]	163 [6 3/8"]
Vaia	90 [3 1/2"]	163 [6 3/8"]

Certificates

WRAS_1904021. LGA_29336.

Rainshower solution

ST 050 527 8892



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	2	2
2	09 30 30 152 90	screw	3	2
3	09 30 11 139 90	disc	6	2
4	09 17 20 094 90	holder	1	2
5	09 11 11 036 90	accessories	1	2
6	09 11 03 041 10 90	connection	1	2
7	04 31 20 006 00 90	plug	1	2
8	04 14 03 072 01 90	gasket kit	1	2
9	09 21 02 102 90	cap	1	2
10	90 14 10 010 00 90	seal	1	2
11	09 24 03 169 10 90	adaptor	1	2

Rainshower solution

ST 050 527 8892



- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet, right/left alternatively
- 3x dust cover
- 3x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

Recommended miscellaneous

Extension 28 mm -

12 177 970 90



Recommended miscellaneous

Extension 46 mm -

12 178 970 90



Recommended miscellaneous

**xGRID Attachment set for
integrating in the dry wall
construction -**

12 340 970 90



Required miscellaneous

xGRID Installation track 555 mm - 12 360 970 90






Rainshower solution

ST 050 527 8892

Rainshower solution

ST 050 527 8892




Art Nr.	Serie	min		max	
		mm	[inches]	mm	[inches]
36xxx361-FF	Madison	85	[3 3/8"]	110	[4 3/8"]
36xxx371-FF	Madison	85	[3 3/8"]	110	[4 3/8"]
36xxx710-FF	LULU	85	[3 3/8"]	110	[4 3/8"]
36xxx809-FF	VAIA	85	[3 3/8"]	110	[4 3/8"]
36xxx819-FF	VAIA	85	[3 3/8"]	110	[4 3/8"]
36xxx882-FF	Tara	95	[3 3/4"]	160	[6 1/4"]
36xxx892-FF	Tara	95	[3 3/4"]	160	[6 1/4"]
36xxx811-FF	CYO	95	[3 3/4"]	160	[6 1/4"]
36xxx812-FF	CYO	95	[3 3/4"]	160	[6 1/4"]
36xxx740-FF	Meta/CL.1/ CYO	95	[3 3/4"]	160	[6 1/4"]
36xxx980-FF	Symetrics	95	[3 3/4"]	160	[6 1/4"]
36xxx985-FF	Symetrics	95	[3 3/4"]	160	[6 1/4"]
36xxx705-FF	CL.1	115	[4 1/2"]	155	[6 1/8"]
36xxx715-FF	CL.1	115	[4 1/2"]	155	[6 1/8"]
36xxx782-FF	MEM	115	[4 1/2"]	155	[6 1/8"]

Certificates

Belgaqua_21-031- WRAS_2011026. ACS_21 ACC LY 141. DVGW_DW-27_6. 6512DN0706.

Rainshower solution

ST 050 527 8892




Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 23 01 091 00 90	set	8	2
2	90 23 01 045 00 90	back-flow preventer	2	2
3	04 21 34 077 00 90	nipple	2	2
4	09 14 10 098 90	seal	2	2
5	04 31 20 100 00 90	plug	1	2
6	09 14 10 111 90	seal	1	2
7	09 30 30 112 90	screw	4	2
8	04 21 02 174 01 90	cap	1	2
9	04 14 03 073 06 90	gasket kit	1	2
10	04 31 20 006 00 90	plug	2	2
11	09 21 02 173 90	cap	2	2
12	09 14 10 009 90	seal	1	2
13	09 31 20 003 90	plug	4	2
14	04 30 31 054 00 90	fixing set	2	2

Rainshower solution

ST 050 527 8892



- width 555mm
- height 135 mm
- depth 12 mm
- retaining screws and plugs

This set contains 3 xGRID installation tracks and includes fixing material

More about the xGRID installation track can be found in the Shower Book brochure




Rainshower solution

ST 050 527 8892


Rainshower solution

ST 050 527 8892



Rainshower solution

ST 050 527 8892



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 054 00 90	fixing set	6	2
2	04 30 30 212 00 90	fixing set	3	60

Rainshower solution

ST 050 527 8892



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Brushed Dark Platinum	36 503 979-99
	Chrome	36 503 979-00
	Brushed Platinum	36 503 979-06
	Platinum	36 503 979-08
	Durabass (23kt Gold)	36 503 979-09
	Dark Chrome	36 503 979-19
	Light Gold	36 503 979-26
	Brushed Light Gold	36 503 979-27
	Brushed Durabass (23kt Gold)	36 503 979-28
	Matte Black	36 503 979-33
	Brushed Bronze	36 503 979-42
	Brushed Champagne (22kt Gold)	36 503 979-46
	Champagne (22kt Gold)	36 503 979-47
	Brushed Chrome	36 503 979-93

Required miscellaneous



xTOOL Concealed thermostat module without volume control - 35 503 970 90
 •max. recess depth 110 mm
 •min. recess depth 85 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90




Rainshower solution

ST 050 527 8892


Rainshower solution

ST 050 527 8892

mm [inches]



Flow rate chart



Certificates

WRAS_2011026.


DVGW_DW-
6512DN0706.

LGA_29930.

LGA_29932.

Rainshower solution

ST 050 527 8892



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 537-99	cover	1	30
4	09 31 11 048 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-99	sleeve	1	-
Spare part can no longer be ordered, please order the replacement item				
7	90 17 33 004 00-99	handle	1	30
8	90 21 33 011 00-13	handle	1	2
9	90 16 02 027 00 90	spring	1	2
10	90 30 30 136 00 90	screw	1	2
11	90 31 20 049 00-13	plug	1	30
12	12 178 970 90	Extension 46 mm -	1	2

Rainshower solution


ST 050 527 8892

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve



	Brushed Dark Platinum	36 607 892-99
	Chrome	36 607 892-00
	Brushed Platinum	36 607 892-06
	Platinum	36 607 892-08
	Dark Chrome	36 607 892-19
	Brushed Durabronz (23kt Gold)	36 607 892-28
	Matte Black	36 607 892-33
	Brushed Champagne (22kt Gold)	36 607 892-46
	Champagne (22kt Gold)	36 607 892-47
	Brushed Chrome	36 607 892-93

Required miscellaneous

	Wall valve 1/2" - <ul style="list-style-type: none"> • max. recess depth 145 mm • min. recess depth 85 mm 	35 607 970 90
---	---	---------------




Rainshower solution

ST 050 527 8892

Rainshower solution

ST 050 527 8892

mm [inches]



Certificates

DVGW_DW-
6501DN0116.

WRAS_2011026.

IAPMO_4976 (1).

LGA_29931.


WRAS_2010066.

DVGW_DW-
6512DN0706.

LGA_29932.

Rainshower solution

ST 050 527 8892



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 143 00 90	top	1	2
2	90 23 30 023 00 90	nut	1	2
3	90 21 02 108 00 90	disc	1	2
4	09 27 89 108-99	rosette	1	30
5	90 31 11 007 00 90	pin	1	2
6	90 14 15 020 03 90	ring	1	2
7	09 24 05 002 90	nipple	1	2
8	09 29 06 022 90	spindle	1	2
9	90 14 10 060 00 90	seal	1	2
10	90 12 12 002 00 90	fixing cap	1	2
11	09 21 02 144-99	sleeve	1	30
12	90 20 89 010 10-99	handle	1	30
13	90 30 30 075 00 90	screw	1	2
14	90 30 11 029 00 90	disc	1	2
15	90 12 12 007 00-99	base	1	30
16	09 20 89 010-99	handle	1	60
















Rainshower solution

ST 050 527 8892



- 450mm projection
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Fits: TARA, LISSÉ, VAIA, META

	Brushed Dark Platinum	28 679 970-99 0050
	Chrome	28 679 970-00 0050
	Brushed Platinum	28 679 970-06 0050
	Platinum	28 679 970-08 0050
	Dark Chrome	28 679 970-19 0050
	Light Gold	28 679 970-26 0050
	Light Gold	28 679 970-26
	Brushed Light Gold	28 679 970-27 0050
	Brushed Light Gold	28 679 970-27
	Brushed Durabronze (23kt Gold)	28 679 970-28 0050
	Matte Black	28 679 970-33 0050
	Brushed Bronze	28 679 970-42 0050
	Brushed Champagne (22kt Gold)	28 679 970-46 0050
	Champagne (22kt Gold)	28 679 970-47 0050
	Brushed Chrome	28 679 970-93 0050




Rainshower solution

ST 050 527 8892


Rainshower solution

ST 050 527 8892

mm [inches]




Flow rate chart



Rainshower solution

ST 050 527 8892

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 032 00 90	fixing set	1	2
2	09 17 20 120 90	holder	1	2
3	09 14 10 150 90	seal	2	2
4	09 27 97 015-99	rosette	1	30
5	90 11 03 070 00-99	pipe	1	30
6	09 23 01 075 90	insert	1	2
7	04 12 05 091 10-99	shower	1	30
8	90 30 09 069 00 90	key	1	2

Rainshower solution

ST 050 527 8892



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Dark Platinum	27 802 892-99 0050
	Chrome	27 802 892-00 0050
	Brushed Platinum	27 802 892-06 0050
	Platinum	27 802 892-08 0050
	Dark Chrome	27 802 892-19 0050
	Brushed Durabronze (23kt Gold)	27 802 892-28 0050
	Matte Black	27 802 892-33 0050
	Brushed Champagne (22kt Gold)	27 802 892-46 0050
	Champagne (22kt Gold)	27 802 892-47 0050
	Brushed Chrome	27 802 892-93 0050

Recommended miscellaneous



Concealed wall elbow -

- max. recess depth 163 mm
- min. recess depth 90 mm

35 085 970 90




Rainshower solution

ST 050 527 8892


Rainshower solution

ST 050 527 8892

mm [inches]




Flow rate chart



Rainshower solution

ST 050 527 8892



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 450 892-99	connection	1	-
Spare part can no longer be ordered, please order the replacement item				
2	28 104 970-99	Metal shower hose 1/2" x 1/2" x 1250 mm - Brushed Dark Platinum	1	2
3	28 050 892-99	TARA Wall bracket - Brushed Dark Platinum	1	30
4	90 12 11 140 30-99	shower	1	30