
















WATER FALL Cascade spout for wall mounting - Brushed Durabronze (23kt Gold)


SERIES-VARIOUS

13 420 979 Product version from 4/1/2023			
	<ul style="list-style-type: none"> • CASCADE, max. flow rate 26.5 l/min (at 3 bar) • Function from: l/min 		<div>  <div> <div>Brushed Durabronze (23kt Gold)</div> <div>13 420 979-28</div> </div> </div>
	Technical data:		
	<ul style="list-style-type: none"> • cover plate 240 x 60 mm • 120mm projection • 1/2" connection • plug-link mounting 		<div>  <div> <div>Chrome</div> <div>13 420 979-00</div> </div> </div>
			<div>  <div> <div>Brushed Platinum</div> <div>13 420 979-06</div> </div> </div>
			<div>  <div> <div>Platinum</div> <div>13 420 979-08</div> </div> </div>
			<div>  <div> <div>Dark Chrome</div> <div>13 420 979-19</div> </div> </div>
			<div>  <div> <div>Light Gold</div> <div>13 420 979-26</div> </div> </div>
			<div>  <div> <div>Brushed Light Gold</div> <div>13 420 979-27</div> </div> </div>
			<div>  <div> <div>Matte Black</div> <div>13 420 979-33</div> </div> </div>
			<div>  <div> <div>Brushed Dark Brass</div> <div>13 420 979-39</div> </div> </div>
		<div>  <div> <div>Brushed Bronze</div> <div>13 420 979-42</div> </div> </div>	
		<div>  <div> <div>Brushed Champagne (22kt Gold)</div> <div>13 420 979-46</div> </div> </div>	
		<div>  <div> <div>Champagne (22kt Gold)</div> <div>13 420 979-47</div> </div> </div>	
		<div>  <div> <div>Brushed Chrome</div> <div>13 420 979-93</div> </div> </div>	

Recommended miscellaneous

	Concealed wall elbow -	35 085 970 90
	<ul style="list-style-type: none"> •max. recess depth 163 mm •min. recess depth 90 mm 	


Recommended miscellaneous

	Concealed wall elbow -	35 085 970 90
	<ul style="list-style-type: none"> •max. recess depth 163 mm •min. recess depth 90 mm 	


WATER FALL Cascade spout for wall mounting - Brushed Durabron (23kt Gold)

SERIES-VARIOUS

13 420 979 Product version from 4/1/2023
mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



WATER FALL Cascade spout for wall mounting - Brushed Durabronz (23kt Gold)


SERIES-VARIOUS

13 420 979 Product version from 4/1/2023

Certificates and sustainability

LGA_18

WRAS_2111



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
12	09 14 03 504 90	seal	1.00	2
5	90 29 30 040 00 90	insert	1.00	2
10	09 30 30 086 90	screw	4.00	2
13	09 11 94 046-28	spout	1.00	20
11	09 30 01 104-28	casing	1.00	20
7	09 27 97 034-28	rosette	1.00	20
2	09 17 97 056 90	holder	1.00	2
1	04 30 31 024 01 90	fixing set	1.00	2
3	90 24 05 008 00 90	nipple set	1.00	2
9	09 30 30 147 90	screw	2.00	2
8	09 31 11 049 90	pin	4.00	2
4	09 14 10 504 90	seal	1.00	2
6	09 17 11 044 20 90	distributor	1.00	2