


WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum

SERIES-VARIOUS

13 425 979















Product version from 10/1/2023





- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: l/min

Technical data:

- plate 240 mm x 60 mm
- 22mm projection
- connection 1/2", for shortening
- plug-link mounting

| | | |
|---|-------------------------------|---------------|
|  | Brushed Platinum | 13 425 979-06 |
|  | Chrome | 13 425 979-00 |
|  | Platinum | 13 425 979-08 |
|  | Dark Chrome | 13 425 979-19 |
|  | Light Gold | 13 425 979-26 |
|  | Brushed Light Gold | 13 425 979-27 |
|  | Brushed Durabrass (23kt Gold) | 13 425 979-28 |
|  | Matte Black | 13 425 979-33 |
|  | Brushed Dark Brass | 13 425 979-39 |
|  | Brushed Bronze | 13 425 979-42 |
|  | Brushed Champagne (22kt Gold) | 13 425 979-46 |
|  | Champagne (22kt Gold) | 13 425 979-47 |
|  | Brushed Chrome | 13 425 979-93 |
|  | Brushed Dark Platinum | 13 425 979-99 |

| Recommended miscellaneous | | |
|---|---|---------------|
|  | Concealed wall elbow - <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm | 35 085 970 90 |

| Recommended miscellaneous | | |
|---|---|---------------|
|  | Concealed wall elbow - <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm | 35 085 970 90 |




WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum


SERIES-VARIOUS

13 425 979 Product version from 10/1/2023


mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

| | | | |
|----------------|------|----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
|----------------|------|----------|----------|

Ü-Zeichen



WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum


SERIES-VARIOUS

13 425 979 Product version from 10/1/2023

Certificates and sustainability

LGA_19

IAPMO_4976



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 6 | 09 31 11 144 90 | pin | 2.00 | 2 |
| 1 | 04 30 31 024 01 90 | fixing set | 1.00 | 2 |
| 8 | 90 29 03 071 00 90 | insert | 1.00 | 2 |
| 2 | 09 14 05 009 90 | seal | 1.00 | 2 |
| 3 | 09 17 97 053 90 | holder | 1.00 | 2 |
| 5 | 90 31 20 087 00-06 | plug | 1.00 | 10 |
| 4 | 90 24 03 199 00 90 | connection | 1.00 | 2 |