

IMO Three-hole single-lever bath mixer for bath rim or tile edge installation -
Chrome

IMO

27 412 670 Product version from 4/1/2024



- 224mm projection
- spout: cascade
- max. flow 19.2 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 138 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

Intrinsic protection against back flow.

	Chrome	27 412 670-00
	Brushed Platinum	27 412 670-06
	Dark Chrome	27 412 670-19
	Brushed Light Gold	27 412 670-27
	Matte Black	27 412 670-33
	Brushed Chrome	27 412 670-93
	Brushed Dark Platinum	27 412 670-99

Recommended miscellaneous



Perfecto installation kit -

12 614 970 90

Recommended miscellaneous



**Decorative caps for Perfecto -
Chrome**
• 1 pair

12 801 970-00

IMO Three-hole single-lever bath mixer for bath rim or tile edge installation - Chrome

IMO

27 412 670 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



IMO Three-hole single-lever bath mixer for bath rim or tile edge installation - Chrome

IMO

27 412 670 Product version from 4/1/2024

Certificates and sustainability

IAPMO_4976


LGA_29

Belgaqua_24-008-2

IMO Three-hole single-lever bath mixer for bath rim or tile edge installation - Chrome

IMO

27 412 670 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	29 300 670-00	Single-lever bath mixer for bath rim or tile edge installation - Chrome	1.00	10
3	27 702 980-00	Hand shower set for bath rim or tile edge installation - Chrome	1.00	10
5	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	1.00	2
4	90 24 03 168 00 90	nipple	1.00	2
2	13 512 670-00	spout	1.00	60