

MEM Bath shower set for bath rim or tile edge installation - Brushed Dark Platinum

MEM

27 532 782    Product version from 3/10/2014



- 220mm projection
- spout: rectangular normal flow
- max. flow 27.3 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- WRAS

Intrinsic protection against back flow.

|   |                                |               |
|---|--------------------------------|---------------|
|  | Brushed Dark Platinum          | 27 532 782-99 |
|  | Chrome                         | 27 532 782-00 |
|  | Brushed Platinum               | 27 532 782-06 |
|  | Platinum                       | 27 532 782-08 |
|  | Dark Chrome                    | 27 532 782-19 |
|  | Brushed Durabronze (23kt Gold) | 27 532 782-28 |
|  | Brushed Champagne (22kt Gold)  | 27 532 782-46 |
|  | Champagne (22kt Gold)          | 27 532 782-47 |

Recommended miscellaneous



Perfecto installation kit - 12 614 970 90

Recommended miscellaneous




Decorative caps for Perfecto - Brushed Dark Platinum 12 801 970-99

• 1 pair

# MEM Bath shower set for bath rim or tile edge installation - Brushed Dark Platinum

MEM

27 532 782 Product version from 3/10/2014



Flow rate chart



## Codes & Standards

|                |                        |                             |           |
|----------------|------------------------|-----------------------------|-----------|
| ASME A112.18.1 | cUPC                   | DIN 4109                    | EN 1717   |
| ISO 3822       | Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen |



MEM Bath shower set for bath rim or tile edge installation - Brushed Dark Platinum

MEM

27 532 782    Product version from 3/10/2014

Certificates and sustainability

|           |            |       |                   |
|-----------|------------|-------|-------------------|
| WRAS_2306 | IAPMO_4976 | LGA_9 | Belgaqua_21-026-2 |
|-----------|------------|-------|-------------------|

## MEM Bath shower set for bath rim or tile edge installation - Brushed Dark Platinum

MEM

27 532 782 Product version from 3/10/2014



### Spare parts list

| No. | Item Number        | Name   | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 1   | 20 000 783-99      | MEM Deck valve anti-clockwise closing hot - Brushed Dark Platinum              | 1.00          | 20            |
| 5   | 27 702 980-99      | Hand shower set for bath rim or tile edge installation - Brushed Dark Platinum | 1.00          | 20            |
| 3   | 12 502 970 90      | High pressure hose 1/2" x 1/2" x 400 mm -                                      | 1.00          | 2             |
| 4   | 20 000 782-99      | MEM Deck valve clockwise closing cold - Brushed Dark Platinum                  | 1.00          | 20            |
| 2   | 90 28 22 268 00-99 | 90282226800-99   | 1.00          | 20            |