

## VAIA Wall elbow - Brushed Platinum











VAIA

28 450 809 Product version from 3/13/2017 to 7/6/2018



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

	Brushed Platinum	28 450 809-06
	Chrome	28 450 809-00
	Platinum	28 450 809-08
	Dark Chrome	28 450 809-19
	Brushed Durabronze (23kt Gold)	28 450 809-28
	Brushed Dark Brass	28 450 809-39
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99

### Recommended miscellaneous



#### Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	------------------------

UK Water Supply Regulations



## VAIA Wall elbow - Brushed Platinum

VAIA

---

28 450 809 Product version from 3/13/2017 to 7/6/2018

### Certificates and sustainability

---

Belgaqua\_22\_280\_2 IAPMO\_4976

WRAS\_240702



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	09 16 01 014 90	ring	1.00	2
3	90 23 01 040 00 90	back-flow preventer	2.00	2
4	09 11 03 123-06	connection	1.00	10
1	90 27 80 021 00-06	rosette	1.00	10
5	90 21 02 069 00-06	cover	1.00	10