

Rain shower with wall fixing FlowReduce 400 mm - Brushed Chrome

TARA














28 658 970



Fits: TARA, LISSÉ, VAIA, META

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

To be provided by the customer. Zigbee Gateway!

| | | |
|--|--------------------------------|---------------|
|  | Brushed Chrome | 28 658 970-93 |
|  | Chrome | 28 658 970-00 |
|  | Brushed Platinum | 28 658 970-06 |
|  | Platinum | 28 658 970-08 |
|  | Dark Chrome | 28 658 970-19 |
|  | Light Gold | 28 658 970-26 |
|  | Brushed Light Gold | 28 658 970-27 |
|  | Brushed Durabronze (23kt Gold) | 28 658 970-28 |
|  | Matte Black | 28 658 970-33 |
|  | Brushed Bronze | 28 658 970-42 |
|  | Brushed Champagne (22kt Gold) | 28 658 970-46 |
|  | Champagne (22kt Gold) | 28 658 970-47 |
|  | Brushed Dark Platinum | 28 658 970-99 |


Rain shower with wall fixing FlowReduce 400 mm - Brushed Chrome

TARA

28 658 970



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



Rain shower with wall fixing FlowReduce 400 mm - Brushed Chrome

TARA

28 658 970

Certificates

LGA_38

Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)





Rain shower with wall fixing FlowReduce 400 mm - Brushed Chrome

TARA

28 658 970

Spare parts list

Product version from 4/1/2024

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| | 04 30 31 032 00 90 | fixing set | 9 | 2 |