






DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Soft Black

33 960 110




- 230mm projection
  - pivotable spout 120°
  - air-enriched flow and spray flow
  - fabric braided hose 1500 mm
  - max. flow 7 l/min at 3 bar flow pressure
- Intrinsic protection against back flow.

	Soft Black	33 960 110-69
	Chrome	33 960 110-00
	Brushed Nickel	33 960 110-70


## DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Soft Black

33 960 110

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

EN 817

ISO 3822

Ü-Zeichen

XP P 41-280



## DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Soft Black

---

33 960 110

### Certificates


---

Belgaqua_23-012-2	ACS_23 ACC NY	AbP_10	DVGW_DW- 6506DN0
-------------------	---------------	--------	---------------------

## DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Soft Black

33 960 110

Parts for other  
finishes can be found  
here: [Chrome](#)





DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Soft Black

33 960 110

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 20 81 001 00-69	handle	15	2