

## Shower thermostat for wall mounting - Dark Chrome

34 442 979



- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control
- WRAS


Intrinsic protection against back flow.

	Dark Chrome	34 442 979-19
	Chrome	34 442 979-00
	Brushed Platinum	34 442 979-06
	Platinum	34 442 979-08
	Light Gold	34 442 979-26
	Brushed Light Gold	34 442 979-27
	Brushed Durabronze (23kt Gold)	34 442 979-28
	Matte Black	34 442 979-33
	Brushed Bronze	34 442 979-42
	Brushed Champagne (22kt Gold)	34 442 979-46
	Champagne (22kt Gold)	34 442 979-47
	Brushed Chrome	34 442 979-93
	Brushed Dark Platinum	34 442 979-99


**Shower thermostat for wall mounting - Dark Chrome**

34 442 979

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



Shower thermostat for wall mounting - Dark Chrome

---

34 442 979

Certificates

---

DVGW_DW- 6509DN0	LGA_29	WRAS_2204
---------------------	--------	-----------

## Shower thermostat for wall mounting - Dark Chrome

34 442 979

Parts for other  
finishes can be found  
here: [Chrome](#)

