

## Shower thermostat for wall mounting - Brushed Bronze

IMO

34 442 979



- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control
- WRAS 2204005

Intrinsic protection against back flow.

Fits: IMO, LULU, MEM, TARA, LISSÉ, VAIA, META


	Brushed Bronze	34 442 979-42
	Chrome	34 442 979-00
	Brushed Platinum	34 442 979-06
	Platinum	34 442 979-08
	Dark Chrome	34 442 979-19
	Light Gold	34 442 979-26
	Brushed Light Gold	34 442 979-27
	Brushed Durabronze (23kt Gold)	34 442 979-28
	Matte Black	34 442 979-33
	Brushed Champagne (22kt Gold)	34 442 979-46
	Champagne (22kt Gold)	34 442 979-47
	Brushed Chrome	34 442 979-93
	Brushed Dark Platinum	34 442 979-99

## Shower thermostat for wall mounting - Brushed Bronze

IMO

34 442 979

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## Shower thermostat for wall mounting - Brushed Bronze

---

IMO

34 442 979

### Certificates


---

LGA\_29

34 442 979

**Product version from 10/1/2023**

Parts for other  
finishes can be found  
here: [Chrome](#)





## Shower thermostat for wall mounting - Brushed Bronze

IMO

34 442 979

### Spare parts list

Product version from 10/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 17 33 015 00-42	handle	19	30