












Shower thermostat for wall installation - Brushed Dark Brass

SERIES-VARIOUS

34 443 979



- 3/8" shower outlet
 - slide-on rosettes Ø 70 mm
 - 1/2" connection
 - gauge 150 mm - 13 mm
 - with volume control
 - WRAS
- Intrinsic protection against back flow.

| | | |
|---|--------------------------------|---------------|
|  | Brushed Dark Brass | 34 443 979-39 |
|  | Chrome | 34 443 979-00 |
|  | Brushed Platinum | 34 443 979-06 |
|  | Platinum | 34 443 979-08 |
|  | Dark Chrome | 34 443 979-19 |
|  | Brushed Durabronze (23kt Gold) | 34 443 979-28 |
|  | Matte Black | 34 443 979-33 |
|  | Brushed Champagne (22kt Gold) | 34 443 979-46 |
|  | Champagne (22kt Gold) | 34 443 979-47 |
|  | Brushed Chrome | 34 443 979-93 |
|  | Brushed Dark Platinum | 34 443 979-99 |


Required miscellaneous

TARA Regulator handle - Brushed Durabronze (23kt Gold) 11 431 892-28




34 443 979

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------|---------|----------|-----------|
| DIN 4109 | EN 1717 | ISO 3822 | Ü-Zeichen |
|----------|---------|----------|-----------|



Shower thermostat for wall installation - Brushed Dark Brass

SERIES-VARIOUS

34 443 979

Certificates and sustainability

Belgaqua_22_281_2 LGA_29

34 443 979

Parts for other
finishes can be found
here: [Chrome](#)

