

Shower thermostat for wall installation - Brushed Chrome

34 443 979



- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control
- WRAS 2204005

Intrinsic protection against back flow.

	Brushed Chrome	34 443 979-93
	Chrome	34 443 979-00
	Brushed Platinum	34 443 979-06
	Platinum	34 443 979-08
	Dark Chrome	34 443 979-19
	Brushed Durabronze (23kt Gold)	34 443 979-28
	Matte Black	34 443 979-33
	Brushed Champagne (22kt Gold)	34 443 979-46
	Champagne (22kt Gold)	34 443 979-47
	Brushed Dark Platinum	34 443 979-99

Required miscellaneous




TARA Regulator handle - Brushed Chrome 11 431 892-93

Shower thermostat for wall installation - Brushed Chrome

34 443 979

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower thermostat for wall installation - Brushed Chrome

34 443 979

Certificates

LGA_29

WRAS_2204


Belgaqua_22_281_2

Shower thermostat for wall installation - Brushed Chrome

34 443 979

Product version from 5/1/2022

Parts for other
finishes can be found
here: [Chrome](#)





Shower thermostat for wall installation - Brushed Chrome

34 443 979

Spare parts list

Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 17 33 015 00-93	handle	18	20