

## TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Durabronze (23kt Gold)

TARA

34 458 892



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rain shower Ø 220 mm
- rain shower with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2204013

This article does not include a hand shower!

Intrinsic protection against back flow.


	Brushed Durabronze (23kt Gold)	34 458 892-28
	Chrome	34 458 892-00
	Brushed Platinum	34 458 892-06
	Platinum	34 458 892-08
	Dark Chrome	34 458 892-19
	Matte Black	34 458 892-33
	Brushed Bronze	34 458 892-42
	Brushed Champagne (22kt Gold)	34 458 892-46
	Champagne (22kt Gold)	34 458 892-47
	Brushed Chrome	34 458 892-93
	Brushed Dark Platinum	34 458 892-99

**TARA Shower pipe with shower thermostat without hand shower FlowReduce  
220 mm - Brushed Durabrand (23kt Gold)**


TARA

34 458 892

Required miscellaneous




Required miscellaneous




Required miscellaneous



Required miscellaneous




Required miscellaneous




Required miscellaneous




Required miscellaneous



Required miscellaneous




Required miscellaneous




Required miscellaneous



Required miscellaneous



Required miscellaneous




Required miscellaneous



Required miscellaneous



Required miscellaneous




## TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Durabron (23kt Gold)

TARA


34 458 892

mm [inches]

1:10



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



TARA Shower pipe with shower thermostat without hand shower FlowReduce  
220 mm - Brushed Durabron (23kt Gold)

---

TARA

34 458 892

Certificates

---

WRAS\_2204

LGA\_38

Belgaqua\_22\_283\_2

**TARA Shower pipe with shower thermostat without hand shower FlowReduce  
220 mm - Brushed Durabronz (23kt Gold)**

TARA

34 458 892

**Product version from 5/1/2022**

Parts for other  
finishes can be found  
here: [Chrome](#)





TARA Shower pipe with shower thermostat without hand shower FlowReduce  
220 mm - Brushed Durabron (23kt Gold)

TARA

34 458 892

## Spare parts list

### Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 12 05 092 20-28	shower	11	20