

## MADISON Showerpipe with shower thermostat without hand shower -

MADISON

34 459 360










- shower with fixed riser projection 420mm
- rain shower Ø 200 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 8 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

This article does not include a hand shower!

Intrinsic protection against back flow.


NOTE: The handles must be ordered separately from the fittings!

34 459 360-39


	Chrome	34 459 360-00
	Brushed Platinum	34 459 360-06
	Platinum	34 459 360-08
	Durabronze (23kt Gold)	34 459 360-09
	Brushed Durabronze (23kt Gold)	34 459 360-28
	Brushed Bronze	34 459 360-42
	Brushed Bronze	34 459 360-42 0050
		34 459 360-43
	Brushed Dark Platinum	34 459 360-99

34 459 360

1:10



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Ü-Zeichen



## MADISON Showerpipe with shower thermostat without hand shower -

---

MADISON

34 459 360


Certificates

---

LGA\_38

34 459 360

Parts for other  
finishes can be found  
here: [Chrome](#)





## MADISON Showerpipe with shower thermostat without hand shower -

---

MADISON

34 459 360

### **Spare parts list**