

## Concealed ceiling installation box for recessed ceiling installation -

---

35 033 970 90 Product version from 4/1/2022



- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted installation box Ø 360 mm RAL 9003 signal white
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.
- WRAS

### Recommended miscellaneous

---

**Leak protection 1/2" -**


12 010 970 90

- This article is needed 2x.



## Concealed ceiling installation box for recessed ceiling installation -

35 033 970 90 Product version from 4/1/2022



### Codes & Standards

Scottish Water  
Byelaws


UK Water Supply  
Regulations

### Certificates

WRAS\_240502

## Concealed ceiling installation box for recessed ceiling installation -

35 033 970 90 Product version from 4/1/2022



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 24 03 305 00 90	fixing set	1	2
2	04 30 35 008 00 90	fixing set	1	2
3	04 30 04 097 00 90	hose	2	60
4	90 30 01 216 10 90	Venting service kit	1	2
5	09 31 20 042 90	plug	2	2
6	90 30 01 215 00 90	fixing set	2	2