

Bath spout with pop-up waste and overflow - Brushed Light Gold

36 247 970 Product version from 3/13/2017



- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

	Brushed Light Gold	36 247 970-27
	Chrome	36 247 970-00
	Brushed Platinum	36 247 970-06
	Platinum	36 247 970-08
	Durabrand (23kt Gold)	36 247 970-09
	Dark Chrome	36 247 970-19
	Light Gold	36 247 970-26
	Brushed Durabrand (23kt Gold)	36 247 970-28
	Matte Black	36 247 970-33
	Brushed Bronze	36 247 970-42
	Brushed Champagne (22kt Gold)	36 247 970-46
	Champagne (22kt Gold)	36 247 970-47
	Brushed Chrome	36 247 970-93
	Brushed Dark Platinum	36 247 970-99

Required miscellaneous



Vacuum breaker -
• 3/4" connection

35 150 970 90

Required miscellaneous




Bath spout with pop-up waste and overflow -
• bowden cable length 725 mm

35 248 970 90


Bath spout with pop-up waste and overflow - Brushed Light Gold

36 247 970 Product version from 3/13/2017



Bath spout with pop-up waste and overflow - Brushed Light Gold

36 247 970 Product version from 3/13/2017



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 11 01 124-27	cover	1	60
2	90 20 97 061 00-27	handle	1	30
3	04 31 20 031 48-27	plug	1	-

Spare part can no longer be ordered, please order the replacement item