

WATER FAN vertical Concealed body spray - Dark Chrome
SERIES-VARIOUS

36 513 979



- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- WRAS

| | | |
|--|-------------------------------|---------------|
| | Dark Chrome | 36 513 979-19 |
| | Chrome | 36 513 979-00 |
| | Brushed Platinum | 36 513 979-06 |
| | Platinum | 36 513 979-08 |
| | Light Gold | 36 513 979-26 |
| | Brushed Light Gold | 36 513 979-27 |
| | Brushed Durabrass (23kt Gold) | 36 513 979-28 |
| | Matte Black | 36 513 979-33 |
| | Brushed Bronze | 36 513 979-42 |
| | Brushed Champagne (22kt Gold) | 36 513 979-46 |
| | Champagne (22kt Gold) | 36 513 979-47 |
| | Brushed Chrome | 36 513 979-93 |
| | Brushed Dark Platinum | 36 513 979-99 |

Required miscellaneous



- Concealed wall installation box -
35 206 970 90
- max. recess depth 173 mm
 - min. recess depth 100 mm

Recommended miscellaneous



- xGRID Attachment set for integrating in the dry wall construction -
12 340 970 90

Required miscellaneous



- xGRID Installation track 555 mm -
12 360 970 90

36 513 979

mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



WATER FAN vertical Concealed body spray - Dark Chrome

SERIES-VARIOUS

36 513 979

Certificates and sustainability

LGA_29

WRAS_250602

36 513 979

