

META Wall-mounted single-lever basin mixer without pop-up waste - Brushed Light Gold

META

36 805 660



- 185mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- with single-point mounting
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 240102017

	Brushed Light Gold	36 805 660-27
	Chrome	36 805 660-00
	Brushed Platinum	36 805 660-06
	Dark Chrome	36 805 660-19
	Light Gold	36 805 660-26
	Matte Black	36 805 660-33
	Brushed Bronze	36 805 660-42
	Brushed Champagne (22kt Gold)	36 805 660-46
	Champagne (22kt Gold)	36 805 660-47
	Brushed Chrome	36 805 660-93
	Brushed Dark Platinum	36 805 660-99

Required miscellaneous



Concealed wall mounting -


35 050 970 90

- min. recess depth 80 mm
- max. recess depth 105 mm


META Wall-mounted single-lever basin mixer without pop-up waste - Brushed
Light Gold

META

36 805 660
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

Ü-Zeichen



META Wall-mounted single-lever basin mixer without pop-up waste - Brushed Light Gold

META

36 805 660

Certificates

WRAS_240102


LGA_38

**META Wall-mounted single-lever basin mixer without pop-up waste - Brushed
Light Gold**

META

36 805 660

Product version from 5/1/2022





META Wall-mounted single-lever basin mixer without pop-up waste - Brushed
Light Gold

META

36 805 660

Spare parts list

Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 20 66 030 00-27	handle	9	30