








Towel warmer , 4-fold , projection left , without control element - Brushed Chrome
SERIES SPECIFIC

83 304 979	Product version from 4/1/2025		
	<ul style="list-style-type: none"> gauge 120 mm width 610mm height 440 mm rosette Ø 80 mm Projection: 67 mm Degree of protection IP 44, CE marking Output per towel bar: 15 watts Rated voltage: 220 - 240 V AC 		
	Without control element Activation must be handled by the customer Note: Different conditioning.		
	Without control element		
	Activation must be handled by the customer		
	Note: Different conditioning.		
		 Brushed Chrome 83 304 979-93	
		 Chrome 83 304 979-00	
		 Dark Chrome 83 304 979-19	
		 Matte Black 83 304 979-33	
		 Brushed Champagne (22kt Gold) 83 304 979-46	
		 Brushed Dark Platinum 83 304 979-99	

Required miscellaneous

	Concealed wall installation box for towel warmer , 4-fold , without control element - 35 311 970 90 <ul style="list-style-type: none"> min. recess depth 70 mm max. recess depth 105 mm
---	---


Towel warmer , 4-fold , projection left , without control element - Brushed Chrome

SERIES SPECIFIC

83 304 979 Product version from 4/1/2025
mm [inches]



83 304 979 Product version from 4/1/2025



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 30 30 252 00 90	fixing set	1.00	2
1	90 17 97 102 00-93	holder	1.00	50