










VAIA xTOOL Thermostat module with 2 valves - Champagne (22kt Gold)

VAIA

ST 060 112 6819



- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

	Champagne (22kt Gold)	ST 060 112 6819-47
	Chrome	ST 060 112 6819-00
	Brushed Platinum	ST 060 112 6819-06
	Platinum	ST 060 112 6819-08
	Dark Chrome	ST 060 112 6819-19
	Brushed Durabrass (23kt Gold)	ST 060 112 6819-28
	Brushed Bronze	ST 060 112 6819-42
	Brushed Champagne (22kt Gold)	ST 060 112 6819-46
	Brushed Dark Platinum	ST 060 112 6819-99

Individual components of this set

You need the following components for this set



1x 36 503 979-47










2x 36 607 819-47

ST 060 112 6819

Error: Subreport could not be shown.



- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS 2011026, 2010066

	Champagne (22kt Gold)	36 607 819-4
	Chrome	36 607 819-0
	Brushed Platinum	36 607 819-0
	Platinum	36 607 819-0
	Dark Chrome	36 607 819-1
	Brushed Durabronze (23kt Gold)	36 607 819-2
	Brushed Bronze	36 607 819-4
	Brushed Champagne (22kt Gold)	36 607 819-4
	Brushed Dark Platinum	36 607 819-9

ST 060 112 6819

.7  
—  
10  
—  
16  
—  
18  
—  
9  
—  
8  
—  
2  
—  
6  
—  
9  
—

Required miscellaneous




Wall valve 1/2" -  
●max. recess depth 145 mm  
●min. recess depth 75 mm

35 607 970 90

ST 060 112 6819

mm [inches]



Certificates

DVGW_DW-6501DN0	WRAS_2010	LGA_29	DVGW_DW-6512DN0	WRAS_2011
-----------------	-----------	--------	-----------------	-----------

Codes & Standards

DIN 4109

EN 1111


EN 200

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen





ST 060 112 6819

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 90 03 143 00 90	top	4	2