



28 450 370



- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 240502026

Intrinsic protection against back flow.

| | | |
|---|------------------------------|--------------------|
|  | Chrome | 28 450 370-00 |
| | Chrome | 28 450 370-00 0010 |
|  | Brushed Platinum | 28 450 370-06 |
| | Brushed Platinum | 28 450 370-06 0010 |
|  | Platinum | 28 450 370-08 |
| | Platinum | 28 450 370-08 0010 |
|  | Durabass (23kt Gold) | 28 450 370-09 |
| | Durabass (23kt Gold) | 28 450 370-09 0010 |
|  | Brushed Durabass (23kt Gold) | 28 450 370-28 |
| | Brushed Durabass (23kt Gold) | 28 450 370-28 0010 |
|  | Brushed Dark Platinum | 28 450 370-99 |
| | Brushed Dark Platinum | 28 450 370-99 0010 |

Recommended miscellaneous


Concealed wall elbow -

35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

28 450 370



Flow rate chart



Codes & Standards

EN 1717

Scottish Water
Byelaws

UK Water Supply
Regulations



MADISON Wall elbow - Chrome

MADISON

28 450 370


Certificates

Belgaqua_21-381-2 WRAS_240502

28 450 370

Product version up to 7/6/2018

Product version from 7/6/2018





MADISON Wall elbow - Chrome

MADISON

28 450 370

Spare parts list

Product version up to 7/6/2018

Product version from 7/6/2018

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------|---------|---------------|---------------|
| | 09 27 37 003-00 | rosette | 4 | 10 |