

## Showerpipe with shower thermostat without hand shower FlowReduce - Brushed Chrome

SERIES SPECIFIC















34 459 979 Product version from 4/1/2024



- shower with fixed riser projection 453mm
- overhead shower: rain flow
- rain shower Ø 220 mm
- rain shower with anti-scale system
- max. rainshower flow 7 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

This article does not include a hand shower!

Intrinsic protection against back flow.

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Chrome                 | 34 459 979-93 |
|    | Chrome                         | 34 459 979-00 |
|    | Brushed Platinum               | 34 459 979-06 |
|    | Platinum                       | 34 459 979-08 |
|    | Dark Chrome                    | 34 459 979-19 |
|    | Light Gold                     | 34 459 979-26 |
|    | Brushed Light Gold             | 34 459 979-27 |
|    | Brushed Durabronze (23kt Gold) | 34 459 979-28 |
|    | Matte Black                    | 34 459 979-33 |
|   | Brushed Dark Brass             | 34 459 979-39 |
|  | Brushed Bronze                 | 34 459 979-42 |
|  | Brushed Champagne (22kt Gold)  | 34 459 979-46 |
|  | Champagne (22kt Gold)          | 34 459 979-47 |
|  | Brushed Dark Platinum          | 34 459 979-99 |


## Showerpipe with shower thermostat without hand shower FlowReduce - Brushed Chrome

SERIES SPECIFIC


34 459 979 Product version from 4/1/2024

mm [inches]

1:10



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1111

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Showerpipe with shower thermostat without hand shower FlowReduce -  
Brushed Chrome

SERIES SPECIFIC

34 459 979    Product version from 4/1/2024

Certificates and sustainability


|                     |                   |           |        |
|---------------------|-------------------|-----------|--------|
| DVGW_DW-<br>6509DN0 | Belgaqua_21-032-2 | WRAS_2204 | LGA_38 |
|---------------------|-------------------|-----------|--------|

## Showerpipe with shower thermostat without hand shower FlowReduce - Brushed Chrome

SERIES SPECIFIC

34 459 979 Product version from 4/1/2024

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

| No. | Item Number        | Name   | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 7   | 90 17 33 015 00-93 | handle   | 2.00          | 20            |
| 3   | 90 28 22 348 00-93 | pipe   | 1.00          | 20            |
| 4   | 90 17 11 150 00-93 | holder   | 1.00          | 20            |
| 10  | 28 322 970-93      | Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Chrome | 1.00          | 20            |
| 5   | 90 28 22 349 00-93 | pipe   | 1.00          | 20            |
| 6   | 04 17 01 250 00-93 | connection   | 1.00          | 20            |
| 9   | 12 570 970-93      | Slide unit - Brushed Chrome                              | 1.00          | 60            |
| 2   | 09 23 01 039 90    | sieve  | 1.00          | 2             |
| 1   | 90 12 05 092 20-93 | shower   | 1.00          | 20            |
| 8   | 90 14 20 026 00 90 | seal   | 1.00          | 2             |