



- shower with fixed riser projection 452mm
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 10 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

This article does not include a hand shower!

Intrinsic protection against back flow.

	Dark Chrome	34 460 809-19
	Chrome	34 460 809-00
	Brushed Platinum	34 460 809-06
	Platinum	34 460 809-08
	Brushed Durabronze (23kt Gold)	34 460 809-28
	Brushed Dark Brass	34 460 809-39
	Brushed Bronze	34 460 809-42
	Brushed Champagne (22kt Gold)	34 460 809-46
	Champagne (22kt Gold)	34 460 809-47
	Brushed Dark Platinum	34 460 809-99



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



VAIA Shower pipe with shower thermostat without hand shower - Dark Chrome

VAIA


34 460 809 Product version from 4/1/2025

Certificates and sustainability

Belgaqua_24-006-2 LGA_38

34 460 809 Product version from 4/1/2025

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	3 09 14 10 008 90	seal	1.00	2
	1 04 12 05 091 00-19	shower	1.00	20
	6 12 570 970-19	Slide unit - Dark Chrome	1.00	20
	4 90 17 11 150 00-19	holder	1.00	20
	9 90 17 33 015 00-19	handle	1.00	20
	10 90 14 20 026 00 90	seal	1.00	2
	8 04 17 01 250 00-19	connection	1.00	20
	11 90 17 33 030 00-19	handle	1.00	20
	5 28 322 970-19	Metal shower hose 1/2" x 3/8" x 1750 mm - Dark Chrome	1.00	20
	7 90 28 22 349 00-19	pipe	1.00	20
	2 04 28 22 346 00-19	pipe	1.00	20