

Concealed single-lever mixer with cover plate - Light Gold














TARA

36 060 660



- cover plate Ø 78 mm
- WRAS 2107016

Fits: TARA, META

| | | |
|---|-------------------------------------|---------------|
|  | Light Gold | 36 060 660-26 |
|  | Chrome | 36 060 660-00 |
|  | Brushed Platinum | 36 060 660-06 |
|  | Platinum | 36 060 660-08 |
|  | Dark Chrome | 36 060 660-19 |
|  | Brushed Light Gold | 36 060 660-27 |
|  | Brushed Durabronze (23kt Gold) | 36 060 660-28 |
|  | Matte Black | 36 060 660-33 |
|  | Brushed Bronze | 36 060 660-42 |
|  | Brushed Champagne (22kt Gold) | 36 060 660-46 |
|  | Champagne (22kt Gold) | 36 060 660-47 |
|  | Brushed Chrome | 36 060 660-93 |
|  | Brushed Dark Platinum | 36 060 660-99 |

Required miscellaneous




Concealed wall-mounted single-lever mixer - 35 860 970 90

- min. recess depth 80 mm
- max. recess depth 95 mm

36 060 660


mm [inches]



Certificates

LGA_29905.

36 060 660



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------|---------------|---------------|
| 1 | 90 15 05 064 01 90 | cartridge | 1 | 2 |
| 2 | 90 27 66 009 00-26 | rosette | 1 | 30 |
| 3 | 09 11 02 293-26 | cover | 1 | 60 |
| 4 | 90 20 66 006 00-26 | handle | 1 | 30 |
| 5 | 90 30 09 064 00 90 | key | 1 | 2 |