


MADISON Concealed thermostat with two function volume control - Brushed Platinum








MADISON

36 426 977


Product version up to 8/24/2020



- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Platinum              | 36 426 977-06 |
|  | Chrome                        | 36 426 977-00 |
|  | Platinum                      | 36 426 977-08 |
|  | Durabrand (23kt Gold)         | 36 426 977-09 |
|  | Brushed Durabrand (23kt Gold) | 36 426 977-28 |
|  | Brushed Dark Brass            | 36 426 977-39 |
|  | Brushed Dark Platinum         | 36 426 977-99 |

Required miscellaneous




Concealed thermostat -

•max. recess depth 136 mm

•min. recess depth 80 mm

35 425 970 90


Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction -

12 340 970 90

Required miscellaneous




Concealed thermostat with built-in isolators -

•max. recess depth 136 mm

•min. recess depth 80 mm

35 426 970 90

Required miscellaneous




xGRID Installation track 555 mm -

12 360 970 90


# MADISON Concealed thermostat with two function volume control - Brushed Platinum

MADISON

36 426 977 Product version up to 8/24/2020  
mm [inches]



## Flow rate chart



## Codes & Standards

|                             |           |            |                        |
|-----------------------------|-----------|------------|------------------------|
| DIN 4109                    | EN 1111   | ISO 3822   | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | VA-Zeichen | XP P 41-280            |



MADISON Concealed thermostat with two function volume control - Brushed  
Platinum

MADISON

36 426 977    Product version up to 8/24/2020


Certificates and sustainability

|               |        |        |                     |        |
|---------------|--------|--------|---------------------|--------|
| ACS_20 ACC LY | LGA_19 | ETA_20 | DVGW_DW-<br>6512DN0 | LGA_19 |
| WRAS_250402   |        |        |                     |        |

# MADISON Concealed thermostat with two function volume control - Brushed Platinum

MADISON

36 426 977 Product version up to 8/24/2020





## MADISON Concealed thermostat with two function volume control - Brushed Platinum

MADISON

36 426 977 Product version up to 8/24/2020

### Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 20  | 09 30 30 157 90    | screw      | 4.00          | 2             |
| 22  | 90 30 01 190 00 90 | disc       | 1.00          | 2             |
| 28  | 09 28 10 151 90    | regulator  | 1.00          | 60            |
| 5   | 90 12 12 002 00 90 | fixing cap | 1.00          | 2             |
| 15  | 09 28 10 143 90    | regulator  | 1.00          | 60            |
| 14  | 09 12 12 054 90    | base       | 1.00          | 2             |
| 17  | 09 12 12 051-06    | base       | 1.00          | 10            |
| 18  | 09 31 11 134 90    | pin        | 1.00          | 2             |
| 2   | 09 12 12 053-06    | base       | 1.00          | 10            |
| 7   | 90 17 33 004 00-06 | handle     | 1.00          | 10            |
| 27  | 09 28 10 150 90    | regulator  | 1.00          | 60            |
| 21  | 09 30 01 296 90    | disc       | 1.00          | 2             |
| 19  | 09 11 02 308-06    | plate      | 1.00          | 60            |
| 1   | 90 90 03 163 00 90 | diverter   | 1.00          | 2             |
| 26  | 90 15 02 012 00 90 | cartridge  | 1.00          | 60            |
| 6   | 09 20 67 006-06    | handle     | 1.00          | 10            |
| 9   | 90 16 02 027 00 90 | spring     | 1.00          | 2             |
| 25  | 09 24 04 257 90    | nut        | 2.00          | 2             |
| 24  | 90 18 40 077 01 90 | spindle    | 2.00          | 2             |
| 3   | 04 29 06 111 01-00 | spindle    | 1.00          | 10            |
| 12  | 90 30 30 124 00 90 | screw      | 1.00          | 2             |
| 13  | 90 12 12 052 00 90 | base       | 1.00          | 2             |
| 23  | 90 23 01 124 00 90 | sleeve     | 2.00          | 2             |
| 4   | 90 23 30 023 00 90 | nut        | 2.00          | 2             |
| 16  | 04 29 06 024 01-00 | spindle    | 1.00          | 10            |
| 11  | 90 31 20 049 00-13 | plug       | 1.00          | 30            |
| 10  | 90 30 30 136 00 90 | screw      | 1.00          | 2             |
| 8   | 90 21 33 011 00-13 | handle     | 1.00          | 2             |