

## MEM Wall-mounted basin mixer without pop-up waste - Brushed Platinum

MEM

36 717 782 Product version from 3/10/2014 to 10/27/2020



- 240mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosette 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Brushed Platinum	36 717 782-06
	Chrome	36 717 782-00
	Platinum	36 717 782-08
	Dark Chrome	36 717 782-19
	Brushed Durabronze (23kt Gold)	36 717 782-28
	Brushed Champagne (22kt Gold)	36 717 782-46
	Champagne (22kt Gold)	36 717 782-47
	Brushed Dark Platinum	36 717 782-99

### Required miscellaneous



- Concealed wall-mounted mixer centred spout -** 35 700 970 90
- max. recess depth 150 mm
  - min. recess depth 110 mm

### Required miscellaneous



- Concealed wall-mounted mixer variable positioning -** 35 720 970 90
- min. recess depth 110 mm
  - max. recess depth 150 mm

36 717 782 Product version from 3/10/2014 to 10/27/2020

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109	EN 200	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen	




MEM Wall-mounted basin mixer without pop-up waste - Brushed Platinum

MEM

36 717 782    Product version from 3/10/2014 to 10/27/2020

Certificates and sustainability

LGA\_18                      WRAS\_2204                      ETA\_19



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	2 09 24 03 081 10 90	extension	1.00	2
	7 90 29 03 109 00 90	aerator	1.00	2
	9 90 90 03 157 00 90	top	1.00	2
	3 90 27 78 035 00-06	rosette	1.00	10
	1 90 90 03 156 00 90	top	1.00	2
	6 04 28 22 148 10-06	spout	1.00	10
	4 09 21 02 108 90	disc	2.00	60
	5 90 20 78 002 07-06	handle ( hot )	1.00	10
	8 90 20 78 002 06-06	handle ( cold )	1.00	10
	10 90 20 78 002 01-06	handle	1.00	10