










36 608 980

- Rosette 60 x 60 mm
- Oberteil mit ablängbarer Spindel und Hülse




	Chrom	36 608 980-00
	Platin gebürstet	36 608 980-06
	Platin	36 608 980-08
	Dark Chrome	36 608 980-19
	Messing gebürstet (23kt Gold)	36 608 980-28
	Schwarz matt	36 608 980-33
	Chrom gebürstet	36 608 980-93
	Dark Platinum gebürstet	36 608 980-99

**Benötigtes Zubehör**

- |   |                          |               |
|---|--------------------------|---------------|
|  | <b>UP-Ventil 3/4" -</b>  | 35 608 970 90 |
|   | •Max. Einbautiefe 145 mm |               |
|   | •Min. Einbautiefe 75 mm  |               |

36 608 980


mm [inches]



#### Zertifikate

IAPMO\_4976 (1). WRAS\_2010066.

36 608 980



### Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
1	09 20 98 001-00	Griff	1	10
2	09 12 12 005 90	Rastbuchse	1	2
3	09 12 12 043-00	Aufnahme	1	10
4	09 14 10 017 90	Dichtung	1	2
5	90 31 11 004 00 90	Stift	1	2
6	09 27 98 014-00	Rosette	1	10
7	09 21 02 151 90	Huelse	1	2
8	90 90 03 128 00 90	Oberteil	1	2