

WATER FALL Cascade spout with individual jets for wall mounting - Matte Black

IMO

13 425 979	<ul style="list-style-type: none"> • 22mm projection • PEARLSTREAM • plate 240 mm x 60 mm • connection 1/2", for shortening • plug-link mounting • Max. flow rate 9.5 l/min (at 3 bar) 	<div> <div></div> <div>Matte Black</div> <div>13 425 979-33</div> </div> <div> <div></div> <div>Chrome</div> <div>13 425 979-00</div> </div> <div> <div></div> <div>Brushed Platinum</div> <div>13 425 979-06</div> </div> <div> <div></div> <div>Platinum</div> <div>13 425 979-08</div> </div> <div> <div></div> <div>Dark Chrome</div> <div>13 425 979-19</div> </div> <div> <div></div> <div>Brushed Durabrass (23kt Gold)</div> <div>13 425 979-28</div> </div> <div> <div></div> <div>Brushed Champagne (22kt Gold)</div> <div>13 425 979-46</div> </div> <div> <div></div> <div>Champagne (22kt Gold)</div> <div>13 425 979-47</div> </div> <div> <div></div> <div>Brushed Dark Platinum</div> <div>13 425 979-99</div> </div>
------------	--	---

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

Recommended miscellaneous

<div> <div></div> <div> Concealed wall elbow - <ul style="list-style-type: none"> • max. recess depth 163 mm • min. recess depth 90 mm </div> </div>	35 085 970 90
---	---------------

Recommended miscellaneous

<div> <div></div> <div> Concealed wall elbow - <ul style="list-style-type: none"> • max. recess depth 163 mm • min. recess depth 90 mm </div> </div>	35 085 970 90
---	---------------


WATER FALL Cascade spout with individual jets for wall mounting - Matte Black

IMO

13 425 979
mm [inches]



Flow rate chart



Trajectory diagram



Certificates


LGA_19935.

IAPMO_4976 (6).

WATER FALL Cascade spout with individual jets for wall mounting - Matte Black

IMO

13 425 979



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	1	2
2	09 14 05 009 90	seal	1	2
3	09 17 97 053 90	holder	1	2
4	90 24 03 199 00 90	connection	1	2
5	90 31 20 087 00-33	plug	1	30
6	09 31 11 144 90	pin	2	2
7	09 17 01 185 20-33	spout	1	30
8	90 29 03 071 00 90	insert	1	2