

TARA Bath shower set for bath rim or tile edge installation - Dark Chrome

TARA

27 512 882



- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 220mm projection
- with anti-scale system
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection

Available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

| | | |
|--|--------------------------------|---------------|
|  | Dark Chrome | 27 512 882-19 |
|  | Chrome | 27 512 882-00 |
|  | Brushed Platinum | 27 512 882-06 |
|  | Platinum | 27 512 882-08 |
|  | Brushed Durabronze (23kt Gold) | 27 512 882-28 |
|  | Matte Black | 27 512 882-33 |
|  | Brushed Bronze | 27 512 882-42 |
|  | Brushed Champagne (22kt Gold) | 27 512 882-46 |
|  | Champagne (22kt Gold) | 27 512 882-47 |
|  | Brushed Chrome | 27 512 882-93 |
|  | Brushed Dark Platinum | 27 512 882-99 |

Recommended miscellaneous



Perfecto installation kit -

12 614 970 90

Recommended miscellaneous



Decorative caps for Perfecto - Dark Chrome


• 1 pair

12 801 970-19


TARA Bath shower set for bath rim or tile edge installation - Dark Chrome


TARA

27 512 882



Flow rate chart







Spare parts list