

## VAIA Hand shower set with individual rosettes - Chrome

VAIA

27 808 809



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- WRAS 1810007

Intrinsic protection against back flow.

	Chrome	27 808 809-00
	Chrome	27 808 809-00 0010
	Brushed Platinum	27 808 809-06
	Brushed Platinum	27 808 809-06 0010
	Platinum	27 808 809-08 0010
	Platinum	27 808 809-08
	Dark Chrome	27 808 809-19 0010
	Brushed Durabass (23kt Gold)	27 808 809-28 0010
	Brushed Durabass (23kt Gold)	27 808 809-28
	Brushed Bronze	27 808 809-42
	Brushed Bronze	27 808 809-42 0010
	Brushed Champagne (22kt Gold)	27 808 809-46 0010
	Champagne (22kt Gold)	27 808 809-47 0010
	Brushed Dark Platinum	27 808 809-99
	Brushed Dark Platinum	27 808 809-99 0010

### Recommended miscellaneous

#### Concealed wall elbow -


35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

27 808 809

mm [inches]



Flow rate chart



#### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## VAIA Hand shower set with individual rosettes - Chrome

VAIA

27 808 809

### Certificates

LGA\_28


LGA\_29

WRAS\_1810

Belgaqua\_22\_280\_2

Product version from 3/13/2017 to 6/3/2020

**Product version from 6/3/2020**





## VAIA Hand shower set with individual rosettes - Chrome

VAIA

27 808 809

### Spare parts list

Product version from 3/13/2017 to 6/3/2020

#### Product version from 6/3/2020

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 152 00-00	shower	5	10