



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- with anti-scale system

Technical data:

- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- 1/2" wall elbow


Notes:

- WRAS

Intrinsic protection against back flow.

| | | |
|---|--------------------------------|--------------------|
|  | Brushed Bronze | 27 808 809-42 0010 |
|  | Chrome | 27 808 809-00 |
|  | Chrome | 27 808 809-00 0010 |
|  | Brushed Platinum | 27 808 809-06 |
|  | Brushed Platinum | 27 808 809-06 0010 |
|  | Platinum | 27 808 809-08 0010 |
|  | Platinum | 27 808 809-08 |
|  | Dark Chrome | 27 808 809-19 0010 |
|  | Brushed Durabronze (23kt Gold) | 27 808 809-28 0010 |
|  | Brushed Durabronze (23kt Gold) | 27 808 809-28 |
|  | Brushed Dark Brass | 27 808 809-39 |
|  | Brushed Dark Brass | 27 808 809-39 0010 |
|  | Brushed Bronze | 27 808 809-42 |
|  | Brushed Champagne (22kt Gold) | 27 808 809-46 0010 |
|  | Champagne (22kt Gold) | 27 808 809-47 0010 |
|  | Brushed Dark Platinum | 27 808 809-99 |
|  | Brushed Dark Platinum | 27 808 809-99 0010 |

mm [inches]



Codes & Standards


| | | | |
|----------------|------|----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
|----------------|------|----------|----------|

Ü-Zeichen

Certificates and sustainability

| | |
|--------|------------|
| LGA_29 | IAPMO_4976 |
|--------|------------|

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------------------------------|---------------|---------------|
| 4 | 90 14 20 026 00 90 | seal | 1.00 | 2 |
| 3 | 28 050 809-42 | VAIA Wall bracket - Brushed Bronze | 1.00 | 20 |
| 5 | 90 30 02 072 00-42 | hose | 1.00 | 20 |
| 2 | 28 450 809-42 | VAIA Wall elbow - Brushed Bronze | 1.00 | 20 |
| 1 | 90 12 11 140 41-42 | shower | 1.00 | 20 |