





DORNBRACHT YAMOU Shower head - Chrome

28 504 831



- 180-210mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7.6 l/min
- rosette Ø 55 mm
- WRAS 240202028

	Chrome	28 504 831-00
	Soft Black	28 504 831-69

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90







DORNBRACHT YAMOU Shower head - Chrome

28 504 831

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## DORNBACHT YAMOU Shower head - Chrome

---

28 504 831

### Certificates

---

LGA\_28


WRAS\_240202

## DORNBACHT YAMOU Shower head - Chrome

---

28 504 831

**Product version from 1/1/2023**





## DORNBRAUCHT YAMOU Shower head - Chrome

---

28 504 831

### Spare parts list

#### Product version from 1/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 27 83 018 00-00	rosette	2	2