

TARA Single-lever mixer Pull-down with spray function - Champagne (22kt Gold)

TARA

33 870 888



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Champagne (22kt Gold)	33 870 888-47
	Chrome	33 870 888-00
	Brushed Platinum	33 870 888-06
	Platinum	33 870 888-08
	Durabrand (23kt Gold)	33 870 888-09
	Dark Chrome	33 870 888-19
	Brushed Durabrand (23kt Gold)	33 870 888-28
	Matte Black	33 870 888-33
	Brushed Champagne (22kt Gold)	33 870 888-46
	Brushed Chrome	33 870 888-93
	Brushed Dark Platinum	33 870 888-99

Recommended miscellaneous

	Swivel limitation set -	12 823 970 90
--	--------------------------------	---------------

Recommended miscellaneous

	Dispenser with rosette - Champagne (22kt Gold)	82 444 970-47
--	---	---------------

Recommended miscellaneous

	Strainer waste with control handle - Champagne (22kt Gold)	10 710 970-47
--	---	---------------


TARA Single-lever mixer Pull-down with spray function - Champagne (22kt Gold)

TARA


33 870 888

mm [inches]

1:5



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



TARA Single-lever mixer Pull-down with spray function - Champagne (22kt Gold)

TARA

33 870 888

Certificates

LGA_38

Belgaqua_24-005-2

TARA Single-lever mixer Pull-down with spray function - Champagne (22kt Gold)

TARA

33 870 888

Product version from 2/1/2023





TARA Single-lever mixer Pull-down with spray function - Champagne (22kt Gold)

TARA

33 870 888

Spare parts list

Product version from 2/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 148 00-47	shower	20	-

Spare part can no longer be ordered, please order the replacement item