

## SYNC Single-lever mixer Pull-down with spray function - Durabronss (23kt Gold)

SYNC

33 875 895 Product version from 11/1/2024



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 420 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

|  |                                |               |
|--|--------------------------------|---------------|
|  | Durabronss (23kt Gold)         | 33 875 895-09 |
|  | Chrome                         | 33 875 895-00 |
|  | Brushed Platinum               | 33 875 895-06 |
|  | Platinum                       | 33 875 895-08 |
|  | Dark Chrome                    | 33 875 895-19 |
|  | Brushed Durabronss (23kt Gold) | 33 875 895-28 |
|  | Matte Black                    | 33 875 895-33 |
|  | Brushed Bronze                 | 33 875 895-42 |
|  | Brushed Champagne (22kt Gold)  | 33 875 895-46 |
|  | Champagne (22kt Gold)          | 33 875 895-47 |
|  | Brushed Chrome                 | 33 875 895-93 |
|  | Brushed Dark Platinum          | 33 875 895-99 |

### Recommended miscellaneous

**Swivel limitation set -**

12 821 970 90



### Recommended miscellaneous

**Dispenser without rosette - Durabronss (23kt Gold)**

82 424 970-09




### Recommended miscellaneous

**Strainer waste with control handle - Durabronss (23kt Gold)**

10 712 970-09



33 875 895 Product version from 11/1/2024



Flow rate chart



## Codes & Standards

DIN 4109

Executive Order  
no. 1007

ISO 3822

Ü-Zeichen



## SYNC Single-lever mixer Pull-down with spray function - Durabrass (23kt Gold)

---

SYNC

33 875 895 Product version from 11/1/2024

### Certificates and sustainability

---

LGA\_28

GDV\_0400

