


xTOOL Concealed thermostat module with 2 valves -

35 524 970 90




- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS


Recommended miscellaneous

	Extension 28 mm -	12 177 970 90
		


Required miscellaneous

	Leak protection 3/4" -	12 012 970 90
	•This article is needed 2x.	


Required miscellaneous

	xGRID Installation track 555 mm -	12 360 970 90
		

Recommended miscellaneous


	Extension 46 mm -	12 178 970 90
		

Recommended miscellaneous

	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90
		

**xTOOL Concealed thermostat module with 2 valves -**

35 524 970 90



**Codes & Standards**


EN 1111	EN 1717	Scottish Water Byelaws	UK Water Supply Regulations
XP P 41-280			

**Certificates**

Belgaqua_21-031-2	WRAS_2011	ACS_21 ACC LY	DVGW_DW- 6512DN0
-------------------	-----------	---------------	---------------------

# xTOOL Concealed thermostat module with 2 valves -

35 524 970 90



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 23 01 091 00 90	set	8	2
2	09 31 20 003 90	plug	4	2
3	09 14 10 009 90	seal	4	2
4	90 23 01 045 00 90	back-flow preventer	2	2
5	04 21 34 077 00 90	nipple	2	2
6	09 14 10 098 90	seal	2	2
7	04 31 20 100 00 90	plug	1	2
8	09 14 10 111 90	seal	1	2
9	09 30 30 112 90	screw	4	2
10	04 21 02 174 01 90	cap	1	2
11	04 14 03 073 06 90	gasket kit	1	2
12	09 21 02 173 90	cap	2	2
13	04 31 20 006 00 90	plug	2	2
14	04 30 31 054 00 90	fixing set	2	2