

Concealed wall-mounted mixer variable positioning -

SERIES-VARIOUS

35 720 970 90 Product version from 4/1/2022



- red brass, lead-free
- 1/2" connection
- 3x sealing plug 1/2"
- 3x dust cover
- WRAS

Required miscellaneous

Leak protection 1/2" -

12 010 970 90

- This article is needed 2x.




Concealed wall-mounted mixer variable positioning -

SERIES-VARIOUS

35 720 970 90 Product version from 4/1/2022

mm [inches]



		min.	max.
36xxx361-FF	Madison	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx809/819-FF	Vaia	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx882/892-FF	Tara	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx811-FF	CYO	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx705-FF	CL.1	110 mm[4 3/8"]	150 mm[5 7/8"]
36xxx782-FF	MEM	110 mm[4 3/8"]	150 mm[5 7/8"]


Codes & Standards

Scottish Water
Byelaws

UK Water Supply
Regulations

Certificates and sustainability

WRAS_2211



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	9 04 14 03 072 01 90	gasket kit	3.00	2
	4 09 17 20 104 90	holder	3.00	2
	3 09 30 11 139 90	disc	12.00	2
	8 04 21 02 173 01 90	cap	3.00	2
	7 04 31 20 037 00 90	plug	1.00	2
	10 04 31 20 006 00 90	plug	2.00	2
	1 04 30 31 024 01 90	fixing set	6.00	2
	5 09 30 11 137 90	disc	3.00	60
	2 09 23 10 023 90	nut	6.00	2
	6 09 30 30 068 90	screw	6.00	2