

Concealed single-lever mixer with integrated shower connection - Chrome

36 050 970 Product version from 10/1/2023




- without rosette
 - WRAS

Intrinsic protection against back flow.

Intrinsic protection against back flow.

	Chrome	36 050 970-00
	Brushed Platinum	36 050 970-06
	Platinum	36 050 970-08
	Dark Brass matt	36 050 970-16
	Dark Chrome	36 050 970-19
	Light Gold	36 050 970-26
	Brushed Light Gold	36 050 970-27
	Brushed Durabrass (23kt Gold)	36 050 970-28
	Matte Black	36 050 970-33
	Brushed Bronze	36 050 970-42
	Brushed Champagne (22kt Gold)	36 050 970-46
	Champagne (22kt Gold)	36 050 970-47
	Brushed Chrome	36 050 970-93
	Brushed Dark Platinum	36 050 970-99

Required miscellaneous

- 

Concealed wall mounting -


- max. recess depth mm
 - min. recess depth mm

35 050 970 90

Concealed single-lever mixer with integrated shower connection - Chrome

36 050 970 Product version from 10/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



Concealed single-lever mixer with integrated shower connection - Chrome


36 050 970 Product version from 10/1/2023

Certificates

Belgaqua_21-025-2 WRAS_2011 LGA_29

Concealed single-lever mixer with integrated shower connection - Chrome

36 050 970 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 97 064 00-00	handle	1	10
2	09 24 04 266 90	nut	1	2
3	90 15 05 044 04 90	cartridge	1	2
4	09 31 11 004 90	pin	1	60
5	09 23 01 131 90	back-flow preventer	1	2
6	09 14 10 213 90	seal	1	2
7	09 24 03 281-00	nipple	1	10
8	90 21 02 069 00-00	cover	1	10
9	90 14 20 026 00 90	seal	1	2
10	28 322 970-00	Metal shower hose 1/2" x 3/8" x 1750 mm - Chrome	1	2
11	90 14 10 060 00 90	seal	1	2
12	09 18 40 230 90	connection	1	2
13	09 14 10 061 90	seal	1	2