
















Concealed single-lever mixer with integrated shower connection - Brushed Light Gold

SERIES-VARIOUS

36 050 970	Product version from 10/1/2023	
	<ul style="list-style-type: none"> without rosette WRAS 	
	Intrinsic protection against back flow.	
	Intrinsic protection against back flow.	
		
	Brushed Light Gold	36 050 970-27
	Chrome	36 050 970-00
	Brushed Platinum	36 050 970-06
	Platinum	36 050 970-08
	Dark Brass matt	36 050 970-16
	Dark Chrome	36 050 970-19
	Light Gold	36 050 970-26
	Brushed Durabrass (23kt Gold)	36 050 970-28
	Matte Black	36 050 970-33
	Brushed Bronze	36 050 970-42
	Brushed Champagne (22kt Gold)	36 050 970-46
	Champagne (22kt Gold)	36 050 970-47
	Brushed Chrome	36 050 970-93
	Brushed Dark Platinum	36 050 970-99


Required miscellaneous

	Concealed wall mounting - <ul style="list-style-type: none"> min. recess depth 80 mm max. recess depth 105 mm 	35 050 970 90
---	---	---------------


Concealed single-lever mixer with integrated shower connection - Brushed Light Gold

SERIES-VARIOUS

36 050 970 Product version from 10/1/2023
mm [inches]




Flow rate chart



Concealed single-lever mixer with integrated shower connection - Brushed Light Gold

SERIES-VARIOUS

36 050 970 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	28 322 970-27	Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Light Gold	1.00	20
6	09 14 10 213 90	seal	1.00	2
1	90 20 97 064 00-27	handle	1.00	20
3	90 15 05 044 04 90	cartridge	1.00	2
5	09 23 01 131 90	back-flow preventer	1.00	2
2	09 24 04 266 90	nut	1.00	2
13	09 14 10 061 90	seal	1.00	2
11	90 14 10 060 00 90	seal	1.00	2
9	90 14 20 026 00 90	seal	1.00	2
8	90 21 02 069 00-27	cover	1.00	20
4	09 31 11 004 90	pin	1.00	60
12	09 18 40 230 90	connection	1.00	2
7	09 24 03 281-27	nipple	1.00	60