















Concealed single-lever mixer with cover plate - Brushed Dark Platinum
SERIES SPECIFIC

36 060 660 Product version up to 6/29/2020



- cover plate Ø 78 mm
- WRAS

| | | |
|---|--------------------------------|---------------|
|  | Brushed Dark Platinum | 36 060 660-99 |
|  | Chrome | 36 060 660-00 |
|  | Brushed Platinum | 36 060 660-06 |
|  | Platinum | 36 060 660-08 |
|  | Dark Chrome | 36 060 660-19 |
|  | Light Gold | 36 060 660-26 |
|  | Brushed Light Gold | 36 060 660-27 |
|  | Brushed Durabronze (23kt Gold) | 36 060 660-28 |
|  | Matte Black | 36 060 660-33 |
|  | Brushed Dark Brass | 36 060 660-39 |
|  | Brushed Bronze | 36 060 660-42 |
|  | Brushed Champagne (22kt Gold) | 36 060 660-46 |
|  | Champagne (22kt Gold) | 36 060 660-47 |
|  | Brushed Chrome | 36 060 660-93 |


Required miscellaneous



- Concealed wall-mounted single-lever mixer -
35 860 970 90
- max. recess depth 95 mm
 - min. recess depth 80 mm

36 060 660 Product version up to 6/29/2020

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------|----------|---------------------------|--------------------------------|
| DIN 4109 | ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations |
|----------|----------|---------------------------|--------------------------------|

Ü-Zeichen



Concealed single-lever mixer with cover plate - Brushed Dark Platinum

SERIES SPECIFIC

36 060 660 Product version up to 6/29/2020

Certificates and sustainability

WRAS_2107

LGA_29



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------|---------------|---------------|
| 1 | 90 15 05 064 01 90 | cartridge | 1.00 | 2 |
| 2 | 90 27 66 009 00-99 | rosette | 1.00 | 20 |
| 4 | 90 20 66 006 00-99 | handle | 1.00 | 20 |
| 3 | 09 11 02 293-99 | cover | 1.00 | 20 |
| 5 | 90 30 09 064 00 90 | key | 1.00 | 2 |