

VAIA Concealed two-way diverter - Brushed Bronze


36 200 819



- rotary diverter
- rosette Ø 60 mm
- WRAS

	Brushed Bronze	36 200 819-42
	Chrome	36 200 819-00
	Brushed Platinum	36 200 819-06
	Dark Chrome	36 200 819-19
	Brushed Durabrass (23kt Gold)	36 200 819-28
	Brushed Champagne (22kt Gold)	36 200 819-46
	Champagne (22kt Gold)	36 200 819-47
	Brushed Dark Platinum	36 200 819-99


Required miscellaneous

	<div>Concealed two-way diverter -</div> <div> <div>•min. recess depth mm</div> <div>•max. recess depth mm</div> </div>	35 202 970 90
--	--	---------------


VAIA Concealed two-way diverter - Brushed Bronze

36 200 819

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

Ü-Zeichen



VAIA Concealed two-way diverter - Brushed Bronze

36 200 819

Certificates

LGA_38

WRAS_2307

VAIA Concealed two-way diverter - Brushed Bronze

36 200 819

