

WATER POINTS Concealed body spray - Chrome

IMO

36 525 979



- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

| | | |
|--|--------------------------------|---------------|
| | Chrome | 36 525 979-00 |
| | Brushed Platinum | 36 525 979-06 |
| | Platinum | 36 525 979-08 |
| | Dark Chrome | 36 525 979-19 |
| | Light Gold | 36 525 979-26 |
| | Brushed Light Gold | 36 525 979-27 |
| | Brushed Durabronze (23kt Gold) | 36 525 979-28 |
| | Matte Black | 36 525 979-33 |
| | Brushed Bronze | 36 525 979-42 |
| | Brushed Champagne (22kt Gold) | 36 525 979-46 |
| | Champagne (22kt Gold) | 36 525 979-47 |
| | Brushed Chrome | 36 525 979-93 |
| | Brushed Dark Platinum | 36 525 979-99 |

Required miscellaneous



WATER POINTS Adapter plate - 12 305 970 90

Required miscellaneous



Concealed wall installation box - 35 205 970 90
 • max. recess depth 110 mm
 • min. recess depth 85 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

36 525 979

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



WATER POINTS Concealed body spray - Chrome

IMO

36 525 979

Certificates

LGA_38

Product version from 10/1/2023





WATER POINTS Concealed body spray - Chrome

IMO

36 525 979

Spare parts list

Product version from 10/1/2023

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------|--------|---------------|---------------|
| | 09 28 01 024 90 | holder | 34 | 2 |