

Neck massage - Brushed stainless steel / platinum matt







ST 050 521 7985



- max. flow 26.5 l/min at 3 bar flow pressure
- PEARLSTREAM
- rain shower with anti-scale system
- suitable for xGRID (when using installation track + 12 mm recess depth)
- concealed rough parts
- exposed trim parts
- temperature setting via thermostat
- overhead shower: rain flow

Individual components of this set

You need the following components for this set

	2x	35 085 970 90		1x	35 521 970 90
	1x	13 425 979-06		1x	28 775 980-06
	1x	36 503 985-06		2x	36 607 985-06

## Neck massage - Brushed stainless steel / platinum matt

---

ST 050 521 7985



- red brass, lead-free
- female thread 1/2" connection
- 1x female thread 1/2" outlet
- dust cover
- anti-water packing
- soundproofing
- WRAS 240502014, 1904021

For wall-mounted spouts and wall outlet elbows  
with 1/2" connection.

## Neck massage - Brushed stainless steel / platinum matt


---

ST 050 521 7985

Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

mm [inches]



	min	max
CL. 1	90 [3 1/2"]	163 [6 3/8"]
CL. 2	68 [2 5/8"]	135 [5 3/8"]
Domicil	90 [3 1/2"]	163 [6 3/8"]
Gentle	90 [3 1/2"]	163 [6 3/8"]
IMO	90 [3 1/2"]	163 [6 3/8"]
Lissé	90 [3 1/2"]	163 [6 3/8"]
MEM	90 [3 1/2"]	163 [6 3/8"]
Symetrics	90 [3 1/2"]	163 [6 3/8"]
Vaia	90 [3 1/2"]	163 [6 3/8"]

Certificates

LGA\_29

WRAS\_240502

Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Codes & Standards


DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

Ü-Zeichen

## Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

**Product version from 3/7/2023**





Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Spare parts list

Product version from 3/7/2023

No.	Item Number	Name	Quantity used	Delivery time
	04 30 31 024 01 90	fixing set	25	2

## Neck massage - Brushed stainless steel / platinum matt

---

ST 050 521 7985




- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet, right/left alternatively
- 3x dust cover
- 3x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS 2011026




Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Recommended miscellaneous

<b>Extension 28 mm -</b>	12 177 970 90
	


Required miscellaneous

<b>Leak protection 3/4" -</b>	12 012 970 90
 <ul style="list-style-type: none"> <li>•This article is needed 2x.</li> </ul>	


Required miscellaneous

<b>xGRID Installation track 555 mm -</b>	12 360 970 90
	

Recommended miscellaneous

<b>Extension 46 mm -</b>	12 178 970 90
	

Recommended miscellaneous

<b>xGRID Attachment set for integrating in the dry wall construction -</b>	12 340 970 90
	



Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Codes & Standards


EN 1111	EN 1717	Scottish Water Byelaws	UK Water Supply Regulations
XP P 41-280			

## Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Product version up to 11/25/2021

**Product version from 1/1/2022**





Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Spare parts list

Product version up to 11/25/2021

**Product version from 1/1/2022**

No.	Item Number	Name	Quantity used	Delivery time
	90 23 01 091 00 90	set	34	2

## Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985



- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits: IMO, LULU, MADISON, MEM, TARA,  
CL.1, LISSÉ, VAIA, META, CYO

	Brushed Platinum	13 425 979-0
	Chrome	13 425 979-0
	Platinum	13 425 979-0
	Dark Chrome	13 425 979-1
	Light Gold	13 425 979-2
	Brushed Light Gold	13 425 979-2
	Brushed Durabronze (23kt Gold)	13 425 979-2
	Matte Black	13 425 979-3
	Brushed Bronze	13 425 979-4
	Brushed Champagne (22kt Gold)	13 425 979-4
	Champagne (22kt Gold)	13 425 979-4
	Brushed Chrome	13 425 979-9
	Brushed Dark Platinum	13 425 979-9

Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

6  
—  
0  
—  
8  
—  
9  
—  
6  
—  
7  
—  
8  
—  
3  
—  
2  
—  
6  
—  
7  
—  
3  
—  
9  
—

Recommended miscellaneous



**Concealed wall elbow -**  
●max. recess depth 163 mm  
●min. recess depth 90 mm

35 085 970 90

Recommended miscellaneous




**Concealed wall elbow -**  
●max. recess depth 163 mm  
●min. recess depth 90 mm

35 085 970 90


Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

mm [inches]



Flow rate chart



Certificates

LGA\_19


IAPMO\_4976



Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Trajectory diagram



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Ü-Zeichen

## Neck massage - Brushed stainless steel / platinum matt


---

ST 050 521 7985

## Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

**Product version from 10/1/2023**





Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Spare parts list

Product version from 10/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	04 30 31 024 01 90	fixing set	8	2

# Neck massage - Brushed stainless steel / platinum matt












ST 050 521 7985



Fits: IMO, MEM, CL.1

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS 2212012

Product change as of 1st April 2024: max. flow 20l/min

	Brushed Platinum	28 775 980-0
	Chrome	28 775 980-0
	Platinum	28 775 980-0
	Dark Chrome	28 775 980-1
	Brushed Light Gold	28 775 980-2
	Brushed Durabrass (23kt Gold)	28 775 980-2
	Matte Black	28 775 980-3
	Brushed Champagne (22kt Gold)	28 775 980-4
	Champagne (22kt Gold)	28 775 980-4
	Brushed Chrome	28 775 980-9
	Brushed Dark Platinum	28 775 980-9

Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

6  
—  
0  
—  
8  
—  
9  
—  
7  
—  
8  
—  
3  
—  
6  
—  
7  
—  
3  
—  
9  
—

Recommended miscellaneous




**Concealed wall elbow -**  
●max. recess depth 163 mm  
●min. recess depth 90 mm

35 085 970 90


Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

mm [inches]



Flow rate chart



Certificates

LGA\_29                      WRAS\_2212                      LGA\_38



Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

Ü-Zeichen



## Neck massage - Brushed stainless steel / platinum matt


---

ST 050 521 7985

## Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

**Product version from 3/13/2017**





Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Spare parts list

Product version from 3/13/2017

No.	Item Number	Name	Quantity used	Delivery time
	09 27 98 017-06	rosette	3	10









Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Error: Subreport could not be shown.



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS 2011026, 2010066

	Brushed Platinum	36 607 985-0
	Chrome	36 607 985-0
	Platinum	36 607 985-0
	Dark Chrome	36 607 985-1
	Brushed Light Gold	36 607 985-2
	Brushed Durabronze (23kt Gold)	36 607 985-2
	Brushed Chrome	36 607 985-9
	Brushed Dark Platinum	36 607 985-9

Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

6  
—  
0  
—  
8  
—  
9  
—  
7  
—  
8  
—  
3  
—  
9  
—

Required miscellaneous




**Wall valve 1/2" -**  
●max. recess depth 145 mm  
●min. recess depth 75 mm

35 607 970 90

Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

mm [inches]



Certificates

IAPMO_4976	DVGW_DW-6501DN0	WRAS_2010	LGA_29	LGA_29
DVGW_DW-6512DN0	WRAS_2011			

Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EN 1111
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations


Ü-Zeichen

## Neck massage - Brushed stainless steel / platinum matt

---

ST 050 521 7985

**Product version from 6/1/2024**







Neck massage - Brushed stainless steel / platinum matt

ST 050 521 7985

Spare parts list

Product version from 6/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	09 20 98 002-06	handle	8	10